T BOOK

nsions		Contents	Reference to last Measurement
Breadth 5	Depth 6	7	8
	Total Rs:	9.99.489 - ~	
	JT-	19990 - ~	
	VAT-	39980 - ~	
	Cess-	9995 - ~	
	CBF-	999 - ~	
	FSD-	49974 - ~	
	LR-	22489 - ~	
	Add:	143427 - ~	
	Chq/c:	856062 - ~	

SBE No. 199/6-12

First and Final 28/11/2016

M. A. R. 57 (Rule 116)

Measurement Book

Job code: 009-16-000023

No. B

Serial No. ..... Maintenance of Roads and Footpath and Building in Ward No. 09. in Vidyaranyapura

Name of Work ..... Subdivision ..... From..... To..... 249264

Name of Contractor of nature of Agency ..... Sri Madhusudan. R, Contractor

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Work order No: BBMP/EE/BTP/WO/346/2015-16 Date: 30.03.2016.						
	EN cost: 15.00 lakhs						
	Date of Recording: 19-10-2016						
	1) Earth work excavation by manual means in ordinary soil throwing an average horizontal throw upto 2m and an average lift upto 0.5m excavated surface leveled and sides neatly dressed the disposed earth to be leveled neatly after breaking of clods etc complete as per specification						
	Desilting of Drain	1	30.00	0.45	0.30	4.05	
		1	30.00	0.45	0.30	4.05	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Earthwork for compound wall	1	30.00	0.75	0.75	16.88	
		1	30.00	0.75	0.75	16.88	
		1	30.00	0.75	0.75	16.88	
		1	22.80	0.75	0.75	12.83	
	Culverts	1	14.00	2.00	1.20	33.60	
		1	14.50	2.00	1.20	34.80	
						137.14 m³	
					@ Rs. 83.00/m³		113.83 = 00
3)	Removing RCC slab & drains and stacking at complete as per specification						
		1	30.00	·	1.35	40.50	
		1	20.00	·	1.35	27.00	
						67.50 m²	4253=00
					@ Rs. 63.00/m²		

Serial No. .....
Name of Work .....
Name of Contractor of nat
Date of commencement o

Date	Full description
1	2
3)	Removing stone complete as
4)	providing ce with ope cem metal cover mixed conc in foundatio

T BOOK

nsions		Contents	Reference to last Measurement
Breadth 5	Depth 6	7	8
0.75	0.75	16.88	
0.75	0.75	16.88	
0.75	0.75	16.88	
0.75	0.75	12.83	
2.00	1.20	33.60	
2.00	1.20	36.90	
		137.14 m³	
Rs. 83.00/m²			113.83 = 00
clerig c/c complete as			
.	1.35	40.50	
.	1.35	27.00	
		67.50 m²	4255=00
		Rs. 63.00/m²	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

249265

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
3)	Refacing stone slabs of drains and pointing in c/m (1:3) c/c complete as per specification.						
		Qty vide Item No (2)				67.50 m²	
						Rs. 78.00/m²	5265=00
							Jadhav AE 19/10/16
	Measurement continued on: 16-11-2016						
4)	providing and laying in position plain cement concrete in mix 1:6:8 with opc cement @ 180 kgs with 40 mm and above size graded granite metal course aggregate @ 0.85cum and fine aggregate @ 0.57cum machine mixed concrete laid in layers not exceeding 15cm thick well compacted in foundation and plinth including cost of all materials labours						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	For compound wall	1	30.00	0.75	0.15	3.38	
		1	30.00	0.75	0.15	3.38	
		1	30.00	0.75	0.15	3.38	
		1	22.80	0.75	0.15	2.57	
	Culvert	1	14.00	2.00	0.15	4.20	
		1	14.00	2.00	0.15	4.35	
						21.94 m³	
					@ Rs. 5070.00/m³		111236=00
	5) providing canal constructing granite/trap/basalt size stone masonry in foundation with cement mortar 1:6 stone hammered dressed in course not less than 20 cm high bond stone at 2m apart in each course including cost of material labour curing etc complete as per specification						

Serial No. .....
Name of Work .....
Name of Contractor o
Date of commencem

Date	Full desc
1	

ENT BOOK

Dimensions			Contents	Reference to last Measurement
	Breadth	Depth		
	5	6	7	8
00	0.75	0.15	3.38	
0	0.75	0.15	3.38	
0	0.75	0.15	3.38	
0	0.75	0.15	2.57	
0	2.00	0.15	4.20	
	2.00	0.15	4.35	
			21.94 m³	
			@ Rs. 5070.00/m³	111236-00
			Dedault size stone masonry	
			stone hammered dressed	
			stone at 2m apart in	
			ow curing etc complete	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

249266

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	For compound wall	1	30.00	0.60	0.60	10.80	
		1	30.00	0.60	0.60	10.80	
		1	30.00	0.60	0.60	10.80	
		1	22.90	0.60	0.60	8.21	
		2	14.00	0.60	0.90	15.12	
		2	14.50	0.60	0.90	15.66	
						71.39	
	Dedault column portion	12	0.40	0.25	0.60	- 0.72	
						70.20 m³	290277-
						@ Rs. 4135-00/m³	292212-00

C&F.C 14/12

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
6)	providing and constructing granite / trap / basalt size stone masonry in basement with cement mortar 1:6 edges of stones chisseled dressed in course not less than 15 cm high bond stones at 2 m apart in each course including cost of material labour curing etc complete as per specification.						
	For compound wall	1	30.00	0.45	0.50	6.75	
		1	30.00	0.45	0.45	6.08	
		1	30.00	0.45	0.45	6.08	
		1	22.80	0.45	0.45	4.62	
						23.52 m³	
						23.29	
				@ Rs. 4905=00/m³			114237=00
7)	providing and constructing precast concrete hollow blocks with compressive strength not less than 35 kg/sq cm with cement mortar 1:4 masonry (above						

Serial No. .....
Name of Work .....
Name of Contractor of
Date of commencemer

Date	Full descrip
1	
	Jambs, close confirming to labour charg For

T BOOK

sions		Contents	Reference to last Measurement
Breadth 5	Depth 6	7	8
Selected size stone 1:6 edges of stones ...m high stone stones ...t of material labour			
0.45	0.50	6.75	
0.45	0.45	6.08	
0.45	0.45	6.08	
0.45	0.45	4.62	
		23.52 m³	
		23.29	
Rs. 4905:00/m³			114237=00
noild blocks with compressive mortar 1:4 masonry (above			

M. A. R. 57 (Rule 116)
Measurement Book

No. B

249267

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Jambs, closer blocks) with moild concrete block of size 40×20×20 cm confirming to IS: 2185/1965 in superstructure including cost of material labour charge, scaffolding curing etc complete as per specification. For compound wall						
		1	17.70	-	1.20	21.24	
		1	7.20	-	1.20	8.64	
		1	14.50	-	1.20	17.40	
		1	12.70	-	1.20	15.24	
		1	13.30	-	1.20	15.96	
		1	20.50	-	1.20	24.60	
		1	4.80	-	1.20	5.76	
						103.80 m²	105668=00
						@ Rs. 1018.00/m²	

C&F Mahuya 16/11/16

AEE (VRP) SD

S.K.C. 2/14/16

Jadhav
AE 16/11/16

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Measurement continued on: 26-11-2016						
8)	providing and laying in position plain cement concrete of mix 1:2:4 with cement @ 240kgs with 20mm and down size crushed granite metal coarse aggregate @ 0.878 cum and fine aggregate @ 0.459 cum machine mixed concrete laid in layers not exceeding 15cm thick well compacted in foundation plinth and sills including cost of materials etc complete as per specification						
	coping compound wall	1	30.00	0.45	0.10	1.35 ✓	
		1	30.00	0.45	0.10	1.35 ✓	
		1	30.00	0.45	0.10	1.35 ✓	
		1	22.80	0.45	0.10	1.03 ✓	
	culvert coping	1	14.00	1.80	0.10	2.52 ✓	
		1	14.50	1.80	0.10	2.61 ✓	

Serial No. .....
Name of Work .....
Name of Contractor of nat
Date of commencement o

Date	Full description
1	2
8)	providing design mix size crushe aggregates @ 9.03-1999 not exceed and ground

NT BOOK

mensions			Contents	Reference to last Measurement
	Breadth 5	Depth 6	7	8
ieved on: 26-11-2016				
ement concrete of mix and down size crushed and fine aggregates @ layers not exceeding plinth and sill including				
	0.45	0.10	1.35	
	0.45	0.10	1.35	
	0.45	0.10	1.35	
	0.45	0.10	1.03	
	1.80	0.10	2.52	
	1.80	0.10	2.61	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

Name of Work ..... From..... To.....

249268

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Ramp	4	11.00	0.60	0.10	3.30	
						11.78 m³	
						@ Rs. 5490.00/m³	64672=00
9)	Providing and laying in position reinforced cement concrete of design mix M20 with opc cement @ 320 kg/m³ with 20 mm and down size crushed granite metal coarse aggregate @ 0.878 cum and fine aggregates @ 0.459 cum with superplasticiser @ 3% confirming to IS 9103-1999 reaffirmed -2009 machine mixed concrete laid in layers not exceeding 15 cm thick vibrated for all works in foundation plinth and ground floor level for roof slabs, staircase etc complete as per specification						

AEE (VRP) SD

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Drain covering slab	1	30.00	0.80	0.10	2.70	
		1	30.00	0.80	0.10	2.70	
		1	25.00	0.80	0.10	2.25	
	Culvert Deck slab	1	14.00	1.80	0.23	5.80	
		1	14.50	1.80	0.23	6.00	
	Columns for gate.	12	0.80	0.80	0.40	3.89	
		12	0.25	0.25	2.15	1.61	
						24.65 m³	
						Rs. 6198.00/m³	152781- 154637.00
(a)	providing TMT steel reinforcement for RCC work including, straightening cutting bending, hooking, placing in position lapping and/or welding wherever required tying with binding wire and anchoring to the						

Serial No. .....
Name of Work ....
Name of Contract
Date of commenc

Date	Full d
1	
	adjoin wooly F.C. 500
11)	provid mortar smooth materi

REMENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
30.00	0.90	0.10	2.70	
30.00	0.90	0.10	2.70	
25.00	0.90	0.10	2.25	
14.00	1.90	0.23	5.80	
14.50	1.80	0.23	6.00	
0.90	0.90	0.40	3.89	
0.25	0.25	2.15	1.61	
			24.65 m³	15278
	Rs. 6198.00/m³		154637.00	

for RCC work including, straightening in position lapping and/or welding bending wire and anchoring to the

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

Name of Work ..... From..... To..... 249269

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	adjoining members wherever necessary complete as per design (less wooly and waste shall not be measured and paid) FMR Dam FC 500 th complete as per specification.						
	Qty as per premeasurement Record dead male					1.97 Tonnes	
	Page No:		of this	MB is			
					Rs. 64725=00/tonne		127508=00
11)	Providing 15cm thick cement plaster in single coat with cement mortar 1:4 to brick masonry including rounding of corner wherever required smooth rendering providing and removing scaffolding including cost of material labour curing etc complete as per specification						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		2	14.70	.	1.20	42.48	
		1	7.20	-	1.20	17.28	
		1	14.50	-	1.20	34.80	
		1	12.70	-	1.20	30.48	
		1	13.30	.	1.20	31.92	
						145.20 sq	
					Rft	191.10 sq	27733=00
13)	providing and finishing external walls in 2 coats with cement mortar water proof cement paint of approved brand and shade to given an even shade after thoroughly brooming the surface to remove all dust and loose powdered material free from mortar drops and other foreign matter cost of materials labours complete as per specification						

Serial No. .....
Name of Work .....
Name of Contractor of nature
Date of commencement of wo

Date	Full description, etc
1	2
13)	providing and ... ing and remove ... any thickness i ... string course ... specification. covering ...

ENT BOOK

imensions			Contents	Reference to last Measurement
n	Breadth 5	Depth 6	7	8
0	·	1·20	42·48	
0	-	1·20	17·28	
0	-	1·20	34·80	
0	-	1·20	30·48	
0	·	1·20	31·92	
			145·20 m2	
		Rs	191·10/m2	27733·00
in 2 coats with cement				
oved brand and shade				
smoothing the surface				
aterial free from mortar				
nish reasons complete				

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

249270

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
		Qty vide Item No:			(11)	145·20 m2	
					Rs	85·10/m2	12342·00
13)	providing and removing centering, shuttering, striking, propping etc and removal of form work for vertical surface such as walls at any thickness including attached pilasters buttresses plinth and string course cost of all materials labours etc complete as per specifications.						
	covering Slab	2	30·00	0·60	-	36·00	
		1	25·00	0·60	-	15·00	
		2	30·00	-	0·10	6·00	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	25.00	-	0.10	2.50	
	culvert Deck	1	14.00	0.60	-	8.40	
		1	14.50	0.60	-	8.70	
	Sides	2	14.00	-	0.23	6.44	
		2	14.50	-	0.23	6.67	
		2×2	1.80	-	0.23	1.66	
	For column	12	3.00	-	0.40	17.28	
		12	1.40	-	2.10	35.28	
						142.68 M³	
					Rs. 306.00/M³		43660.00

AEE (VRP) SD

Serial No. .....
Name of Work .....
Name of Contractor of n
Date of commencement

Date	Full descripti
1	2
14)	providing cem Somm in fa as shown in rods for ve 40mm x 6m spikes for vertical me printed wi specificat

IENT BOOK

Dimensions			Contents	Reference to last Measurement
ngth 4	Breadth 5	Depth 6	7	8
5·00	-	0·10	2·50	
4·00	0·60	-	8·40	
·50	0·60	-	8·70	
·00	-	0·23	6·44	
·80	-	0·23	6·67	
80	-	0·23	1·66	
60	-	0·40	17·28	
40	-	2·10	35·28	
			142.68 sqm	
			@ Rs. 306·00/sqm	43660·00

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

Name of Work ..... From..... To..... 249271

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
14)	providing and fixing M.S. gate as per chief architect Drawing using 50mm x 50mm 14 gauge M.S. hollow pipe frame work bent to ornimental shape as shown in the drawing and 35 mm x 6 mm and 16 x 16 mm square rods for verticals alternately spaced at 100 c/c with 2 holes and 40mm x 6mm MS flats for horizontal members and at the top cast iron spikes for horizontal members and at the one provided at alternate vertical members as shown by thoroughly cleaned free of rust and painted with anti corrosive paint (shop paint) as completed per specification.	3	3·10	-	1·60	14·88	
		1	5·00	-	1·60	8·00	
		2	1·80	-	1·60	5·76	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
						28.50 sqm	
					@ Rs. 3299.00/sqm		94022.00
15)	Providing and fixing M.S. grill work for windows and ventilating weighting 21 kgs/sqm using M.S. flats or M.S. square rods or combination of MS flats and square rods as per approved design drawing including cutting steel section and welding the same to required pattern with a coat of red lead primer cost of materials, fix time labour and hoisting of machinery etc complete as per specification.						
		1	14.70	-	0.45	7.97	
		1	7.20	-	0.45	3.24	
		1	14.50	-	0.45	6.53	
		1	12.70	-	0.45	5.72	
		1	13.30	-	0.45	5.99	
		1	20.50	-	0.45	9.23	

Serial No. .....
Name of Work
Name of Con
Date of comm

Date	
1	

ENT BOOK

Dimensions			Contents	Reference to last Measurement
gth	Breadth 5	Depth 6	7	8
			28.50 m²	
	@ Rs.	3299.00/m²		94022=00
for Windows and ventilating				
I.S. square rods or combination				
of design drawing including				
paint to required pattern with				
rials, fix in situ labour and from				
ation.				
70	-	0.45	7.97	
20	-	0.45	3.24	
50	-	0.45	6.53	
.70	-	0.45	5.72	
.30	-	0.45	5.99	
.50	-	0.45	9.23	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

Name of Work ..... From..... To..... 249272

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
		1	4.80	-	0.45	2.16	
		1	4.20	-	0.45	1.89	
		1	30.00	-	0.45	13.50	
		1	9.00	-	0.45	4.05	
						60.26 m²	
		60.26 x 21 =		1265.36 Kgs		1260 Kgs	
				@ Rs. 59.20/Kg.			74592=00

C & E
Mesh
AEE (VRP) SD

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
16)	providing canal laying duly cobble stones 60mm thick interlock paver using cement and coarse sand for manufacturers of blocks of approved size shape and colour with a minimum compressive strength of 28 kgs per sqcm over 50 mm thick sand bed (average thickness) and compacting with plate vibrator having 3 tons compacting force thereby forcing part of sand underneath to come up in between joints final compaction of paver surface joints in to its final level including cost of material complete as per specification						
		1	30.00	3.00	-	90.00	
		1	30.00	3.00	-	90.00	
		1	30.00	3.00	-	90.00	
		1	12.50	3.00	-	37.50	
		1	30.00	3.00	-	90.00	
		1	28.00	3.00	-	84.00	
		1	28.00	3.00	-	84.00	

Serial No. .....
Name of Work .....
Name of Contractor of natu
Date of commencement of

Date	Full description
1	2
17)	providing c made out f respectively plastering a cost of all unloading

ions		Contents	Reference to last Measurement
Breadth 5	Depth 6	7	8
m Thick interlock paver lines of blocks of approved ssive strength of 28 kgs hickness) and compacting thereby forming part final completion of ing cost of material &c			
3·00	-	90·00	
3·00	-	90·00	
·00	-	90·00	
3·00	-	37·50	
3·00	-	90·00	
3·00	-	84·00	
3·00	-	84·00	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

249273

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
						564·10 m²	
				@ Rs.	191·00/m²		107724=00
(4)	providing and fixing pre cast solid cement concrete kerb stones made out of CC 1:2:4 with top and bottom width 11cm and 165 mm respectively 40mm high and 450mm in length finished with CM 1:3 plastering and trimming cutting including formwork curing including cost of all materials labour hire charges of machine loading and unloading and lift and transporting &c complete as per specification						
		1	100·10 0·45	-	-	222 Nos	71040=00
				@ Rs.	320·10/No		

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	18) Lead for disposal of debris shall be payable at carriage rates by mechanical means including loading and unloading etc complete as per specification						
						Qty vide Item No. ①	137.14 m³
						Rate	Rs. 82.75/m³
							11348=00
						Total	14,297.41=00
	ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು ವಿದ್ಯಾರಣ್ಯಪುರ ಉಪ ವಿಭಾಗ, ಯಲಹಂಕ ವಲಯ, ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-97.						
	Certificate:						
	Certified that the above work done is satisfactorily.						
	Jadha AE 26/4/16						
	AEE (VRP) SD						

Zadha
AE 26/4/16

MENT BOOK

Dimensions			Contents	Reference to last Measurement
ngth 4	Breadth 5	Depth 6	7	8
e payable at carriage rates ding and unloading &c				
cle Item No. ①			137.14 m³	
			Rs. 82.75/m³	11348-00
			Total	14,297.41=00
				Sadhan AE 26/11/16
work done is satisfactorily.				

AEE (VRP) SD

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....
Name of Work ..... From..... To..... 249274
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Sketch showing the work done spot:						



Sadhan
AE 26/11/16

AEE (VRP) SD

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
						Total A: 14.29.741-00	
	ಬಿಲ್ಲು ಮೊಬಲಗು ರೂ 1429741-00					IT- 14297-00	
	ಗಳ್ಳ ಹಾಗು ಮಾರಿವಿ : ಇದರಲ್ಲಿ ರೂ 103285-00					VAT- 57190-00	
	ಹೊಂದಾಣಿಕೆ ಮಾಡಿಕೊಂಡು ಬರಬೇಕಾದ ಮೊಬಲಗು					Cess-14297-00	
	ರೂ 13.26.456-00					CBF- 1430-00	
	ಚುಕ್ತಾ ಮಾಡಬೇಕಾದ ಮೊತ್ತ Thirteen Lakhs Twenty Six Thousand Four Hundred Fifty Six only					LK- 12871-00	
	ತಕ್ಕೀದಿಗೆ ಇದೆ. 14/12					Penalty 3200-00	
						Adj: 103,285-00	
						Chgs: 13.26.456-00	

Serial No. .....
Name of Work .....
Name of Contractor
Date of commencer

Date	Full des
1	